



HERBARIUM VIVUM


EXPENSIS

*Prænobilis, Excellentissimi, ac Clarissimi Domini
Joannis Gabrielis Gallermayr Philis, et
Med. Doctoris, p. t. Magistri Sa-
nitatis intra Urbem etc.*

à

*Joanne Baptista Flyffer de Luttemberg, Phil. et Med.
Doctore, nec non Artis Botanices Cultore*
Congestum.

ANN. O. M. DC. XC. VI.



AUTHORES

Ex quibus hujus Vegetabilis Regni opus desumptum est.

Adversarij Lobelij.
Bauchinus Caspianus.
Bocon.
Celsus Cornelius.
Cruisius.
Collumella Lucius.
Cordus Valerius.
 Dioscorides.
Godonous Rombertus.
Fuchsius Leonhardus.
Francus.
Galenus.
Gesnerus.
Hildanus.
Hortus Eustetensis.
Hortus Lugdunensis.
Hortus Pataviensis.
Lobelius.
Mattiolus Andreas.
Mesue.
Plinius.
Schröder.
Stockhamer Franciscus.
Tabernemontanus Theodorus.
Theophrastus.
Tragus Hieronymus.
Triumfettus uterq.
Zenon.

HERBA

Præsentis et Futura Vita Salute Plena.



Jesus Amor meus crucifixus est.



A

Amaranthus crispus
Fam. Spinif. Hum.



B

Amaranthus luteus
cristatus.
A.



C

Amaranthus prolifer.
A.



D

Amaranthus purpureus
cristatus
A.



E

Amaranthus spicatus.
A.



A

Amaranthus Tricolor.
Fayrol Blätter.



D

Alpine baccifera
Wogl. Br.



B

Alpine muscosa.
D.



C

Alpine hederula folio.
D.



E

Alpine manna.
D.



A

Acacia Aegyptiaca.
Egyptij & Holmdorn.



C

Acacia Florida.



B

Avena.
hibern.



Anagallis coerulea.
Stumpfbl.



Anagallis phoenicea
L.



Angelica Sylvestris.
Waldt Angelिका.



Angelica hortensis, vel Archangelica Tabern.
Garben Angelica.




A

Anserina vel Argentina
Fünfring.

B

Ambrosia.



C

Alisma Lobelij.



D

Anagyris.



A

Althoea.
Lijbij ds.



B

Asperugo.
C



C

Apanine Asperum, vel Aspenula.
Blapp ds.



D

Althoea Ricini folio
A.



E

Apanine love.
C.



C

Anemone purpurea.
A.



A

Anemone Bulbo Castane.
Anemone + *Blum.*



D

Anemone lutea.
A.



E

Anemone Corulea
A



F

Agnus castus, vel Vitez.
Rapport Lamb, od Hoffmüller.



G

Anemone alba.
A.



A

Alkermes vulgi, vel
Amaranthi racemosi
Indici.
Laktormos.



B

Arundo vulgaris.
Gammig Rohr.




C

Asphodelus
Goldblum.



D

Arundo Hispanica.
Hörnig Rohr.



B

Allium montanum, vel
Porrum sylvestre Tab.
Wild Knoblauch.



A

Allium sylvestre
Wild Knoblauch.



C

Alliana hildani.
Knoblauch Kr.



D

Allium arvense, vel *Porrum*
sylvestre 2. Tabernomont.
B.




E

Area theophrasti.



A
Adiantum.
Milly Rv.



B
Adiantum.
Pinn. Lenthan.



C
Auricula muralis purpurea.
Rubon faitl.



D
Auricula muralis alba.
C.



E
Achylloa.
Garbo.



F
Ancusa, vel Alkana.
Rottoffo offm...



A

Aurantius.
Formosensis Benth.



C

Aquilegia hortensis.
Agaloy.



B

Aquilegia sylvestris.
Coalis agaloy.



E

Abudylon.



D

Alchymilla.
gr. 2
Prun.



A
Acetoſella.
Purſ. Rha.



B
Anthyllis.
Gyſſon Rha.



C
Abrotanum Sylveſtre,
inodorum.
G.



D
Abrotanum hontentis
odorum.
Heb. v. f.



E
Alkekengi
Fruſum Rha. v. f.



B

Absynthium Ponticum.
Königs Kraut.



A

Asparagus.
Hargl.



C

Absynthium vulgare.
Gemeines Kraut.



D

Arum.
Hahnpflanz.



E

Arisarum.
D.



B

Androsace.
Mand. Lemij.




A

Aphaea Diakonidis.
Golds Wickem.



C

Apium.
Zeller.



E

Astrantia nigra Tabern.
Heraas & Myrtor Coust.



D

Arabis Fav. Lobelij.



B+

Atriplex sylvestris folijs laciniatis m.
Ceilde molten.



A.

Atriplex hortensis.
Zamme molten.



B+

Atriplex fragifera.
A.



C

Atriplex sylvestris folijs
laciniatis minor.
B+.



C

Attractylis.
Willemdijle.



D

Atriplex sylvestris acutifolia.
B+.



B

Acetosa alpina.
E.



A

Acer.
Auf dem Baum.



C

Armoracia.
Gardener's Parsnip.



E

Acetosa pratensis.
Worm Parsnip.



D

Acetosa Hispanica.
Garden Parsnip.



B

Aster Ragusans.
Horn Ar.



A

Aster flore carules.
B



E

Artemisia
longifolia B.



C

Aster alpinus.
B.



D

Aster Atticus.
B.



F

Aster montanus.
B.




B

Asarum.
bygel leuaf.

A

Asarina.
B.



C

Alnus.
Äldlar: bämm.



D

Ageratum
mebvi.



B

Antirrhinum majus flore purpureo.
A.



C

Antirrhinum minus.
A.



A

Antirrhinum majus flore albo.
Lodov. Man. Bar.



D

Antirrhinum minimum.
A.



F

Apocynum.



E

Armenia.
Horn. Hergl.



C

Alcea Pergrina, vel Solisequa.
Cratt. v. Blain.



A

Alcea vulgaris.
Vign. v. B. v. f.




B

Alcea canabina.
A.




E

Anistologia rotunda.
S.



D

Anistologia longa.
Stor. v. l. v. f.



A

Agrimonioides.
L.



B

Anethum.
Hill &c.



C

Abies.
~~Laricina~~
Laricina Baum.



D

Agrimonia
officinensis.



E

Arbor vita.
Libani Baum.





C

Bellis hortensis variegata.
A.



A

Bellis hortensis purpurea.
Kunff Low Gno.



B

Bellis hortensis alba.
A.



D

Bellis Pradensis.
Mappblumman &
Mapplican.



F

Bugula corulea.
Fullon gimpel &
Gimpel.



G

Bellis affurgens.
G.



E

Bugula fuscesca.
F.



Poa alpina.



A

*Pedeguar Schröderi, vel Fungus
Cynobati.*



B

*Berberis.
Lappaceus.*



E

Blitum pennanum.



D

*Blitum vulgare.
Panic. etc.*





B



A

Borrago vulgaris flore albo.

B

Borrago vulgaris flore cruenta.
Borrago sive Borrageum.



C

Borrago Cretica.

B.



D

Bryon.
max Latif.



F

Buglossum.
Olfundina.



E

Balaustium.
Margaritae Blüße.




B
Bursa pastoris folijs non laciniatis.
C.



C
Bursa pastoris folijs laciniatis.
Eijfel Rv.



A.
Bursa pastoris minima.
C



E
Been Lobelij.



F
Bonus Henricus.
Quercus: or Holfox grinnif.



G
Bursa pastoris siliqvosa
C.



Bryonia vulgaris.
Hindlowort.



Bupleurum.



Bryonia nigra, vel
Mechocanna acutifolia.
A.



Bistorta.
Nickerwort.



Balsamina rubra.
Hingfaman wort.



A
Buphthalmum verum Tabern.
Rindb. any.



C
Buphthalmum vulgare.
A.



B
Buphthalmum luteum.
A



D
Buphthalmum Cotula facie.
A.



E
Botrys
Fraxan. Lx.



A
Basilicum majus.
B.



B
Basilicum minus.
Basilian Kr.



C
Basilicum minimum.
B.



D
Pranica ursina.
Carndlan.



E
Blatania.
Spre van de.



B

Barbana.
Alatum: Polypet.
curat.



A

Beccabunga.
Caribingon.



C

Betula.
Einbaum.



E

Beta Rubra.
Romman-Ructan.



D

Beta Alba.
Mangold.



A

Barba Jovis.
Fingit³ barst.



C

Betonica vulgaris
Botaniam.



D

Betonica foetida aquatica.
C.



E

Bucus.
Cm² barst.



C

Calcatripe flore variegato.
A.



Calcatripe flore carnes.
Nitterstom.

B



Calcatripe flore albo.

A.



E

Calcatripe flore corules.
A.



G

Calcatripe erraticum.
A.



F

Crocus.
De Poien.



A
Cicuta Bulbosa Pannonica.
Fayard Bellot.



B
Cucumis Sativus.
No 2
Cucumern.



C
Colchicum.
Garb Abblinman.



D
Cuscuta
flexifolium.



E
Cucumis Asining.
No 2
Cucumern.



A

Chamadrys vera.
Rom and Lin.



C

Consolida Saraceniaca.
Mugdrij Connt & Rv.



B

Chamadrys Botryoides.
A.



D

Chamomilla Romana.
Romijf & Gammilbm.



E

Chamadrys Spuria
A.



F

Chamomilla vulgaris.
Gomains & Gammilbm.



A

Calendula Hispanica.
B.



C

Calendula vulgaris aurea.
B.



B

Calendula vulgaris lutea.
Kingl blümmen.



D

Cynorhodos, vel Cynosbati.
Gochsäckel.




E

Cynoglossum
Gmüth's Fring.



F

Corylus
Guchmüßbaum.



A

Cardiaea vulgaris.
Gardner & Gostlin.



B

Cardiaea aquatica.
A.



C

Croffulania.
Jonnor & Bonman.



D

Cotoncus.
L'Annon Bonman.



E

Colocassia.



F

Capilli venenis
Fr. Ann. o. Venus h. v. v.



A.

Caulis.
Kraut



B.

Catatagutia major.
Spring Kraut.



C

Cepa.
Zwibel.



D

Gordialiffa mihi, Alijt
Thymbria, vel Hyssopu montanum.
Gordiankraut.



E

Catatagutia minor.
B.



A
Castanea.
Roßbaum.



B
Cicuta.
Hörling.



E
Caucalis arvens, jma Tabern.
C.



C
Caucalis echinata.
Rothm Köpfl.



D
Chamaecyparissus.



C



A



B

Chrysanthemum Hispanicum
Tabernemontani.

C.

Chrysanthemum I. Tabern.

C.

Chrysanthemum papaveris folis.
Goldblumen.



D

Cornus foemina.

E.



E

Cornus mas.
Diamelbaum.



F

Chamaepitys.
Hilddes hand.



A

Christophoriana.



C

Centaurium majus.
Größ 1000. Jhr. R. v.



B

Carduus Arvensis.
Hebr + dist.



D

Centaurium minus.
Alm tausand juldz dr.



E

Cyclamen rotundifolium.
Hessinb. v. d. t.



F

Cyclamen Romanum.
E.



B
Cyanus purpureus
C.



A
Cyanus spinosus
C.



C
Cyanus officinarum
Blau Kornblum.
C.



E
Cyanus montanus
C.



F
Cacalia



D
Cyanus luteus
C.



G
Cyanus Albus



B

Carduus spinosissimus purpureus.
Habitat in diste.



A

Carduus Benedictus.
Cordoba benedict.



C

Carduus spinosissimus candidus.
B.



D

Carduus aculeatus.



E

Carduus Maris.
Maris diste.



A.

Carduus Sphaerocephalus.

B.

Cichorium hortense.
Garban Cichorij.

C.

Cichorium Sylvestre.
Wildes Cichorij.

D.

Condilla latifolia vel
Hypochonis Tabernemont.

E.

Cichorium pratense.
C.

F.

Condilla angustifolia.
D.



A.

Chamaeloa subty incana Trjumb.

B.



B

Chamaeloa Tricoccos.
Pohlboft.



C

Craea.
Rufon.



D

Cannabis.
hannf.



E

Chelydonium minus.
frigloa ofon Burtf.



F

Chelydonium majus.
Halsburt, od affewid Dr.



B
Cistus luteus incanus.



C
Cistus fruticosus.



A
Cistus incanus.



D
Cistus thymifolius.



F
Crispina.
Crispinus palustris.



E
Caltha palustris.
Dotterblume.



C

Convolvoly Hispanicus
coriatus.
A.



B

Convolvoly malva folio.
A.



A

Convolvoly Hispanica candida.
Linné.



D

Convolvoly major Tabern.
A.



E

Convolvoly Indica.
A.



F

Convolvoly minor Tabern.
A.



A

Cherifolium sylvestre.
C. & H. Korbé Dr.



B

Cherifolium hortense.
G. & H. Korbé Dr.



C

Carvi.
C. & H. Korbé Dr.



D

Symbalaria.



E

Calamintha pulegij odore.



F

Calamintha prostrantior.




A.
 Gerinthe Plinij.
 Fumosa Ro.



B
 Colus Jovis.



C
 Crithmum.
 Maas farniefl.



D
 Cypressus
 Cyprip:baum.



E
 Coronilla.



B

Gynopodium vulgare.
Willd. & Schum.



C

Centauroydes.



A

Gynopodium petraeum.
B.



D

Conyza major.
L.




E

Conyza media Lobelij.
L.




F

Conyza minor.
L.



A

Clematis corulea flore plena.
C. v. L. H. B. m.



B

Clematis corulea flore simplici.
A.



C

Clematis virginiana.
A.



D

Clematis peregrina.
A.



E

Clematis germanica.
A.



A.

Cochlearia.
Lappet.



B

Coccignia Theophrasti.



D



C

Corruva.

Cytisus rotundifolig
G.



E

Cytisus fruticans spinosg.
G.



F

Gircaea.



G

Cytisus vulgaris.
Gaisdler.




B
Citrullus.
Citrullus.



A
Carpinus.
a Topf & Kind Baum, oder
Laybunjan.



C
Cotyledon.



D
Carlina.
ferruginea.



E
Coriandrum.
Coriandrum.



F
Carlina erecta.
D.



A.

Collutca.
Salp. Vanp. bl. 16. 10.



B.

Cotula Foetida.
Knott Hillm.



C.

Cardamine.



D.

Geranium.



F.

Caryophyllus hortensis.
Gaston Hiegl.



E.

Cardamini Congener.



A

Cucurbita lagenalis.
Blüthe Kürbis.

B

Cucurbita.
Kürbis.



C

Cerasus.
Kirschenbaum.



E

Centinodia nivea.
E.



D



F

Crista galli.
Hühner Krone.



G

Chamaecerasus.
Klein Kirschen.

Centinodium vulgare.
Krautgras, od. blüthgras.



A

Cicera rubra.
Rottfo Zeyher.



B



C

Cyrtium.



D

Cantabrica.



E

Carthamus.
Wild Rye-grass.

Ganna Indica.



F

Cnicata hirsuta.



B
Campanula minor.
A.




C
Campanula conglomerata.
A.



A
Campanula major.
glockenblumen.



E
Caryophyllata Purpurea.
D.



D
Caryophyllata vulgaris.
Benedictan Quort.



Sittacus albus.



A

Dragunculus hortensis.
Farrington.



B

Antennaria dioica.
Kreuzkraut.



C

Digitalis purpurea.
Fingerhut.




D

Dipsacus.
Krautdistel.



A.
Draba.



B.

Doronicum adulteratum, vel *Nagendix*.

D.



C.

Sulcamara,
In Linnæus In Lichor.




D.

Doronicum alpinum.
Gimbyn ^{or} ~~Quart~~.



Datura Turcicum.



*Gaucus Venetus Sto.
(Chamaen.)*



*Gent. Leonis.
L. Colum. Long.*

*Gymnopus.
L. Col. v. v. v.*



A

Daucus Hortensis albg.
Weiße Mäxchen.



B

Daucus Hortensis luteg.
Gelbe Mäxchen.



C

Daucus Sylvestris.
Wilde Mäxchen.



D

Conyzenium.



E

Conyza Congena Stockhameri.



A

Eryngium maritimum.
B.



B

Eryngium crispum.
Marmor. Fran.



C

Eryngium serratum.
B.



D

Euphrasia vulgaris.
Augumbroft.



E

Euphrasia lutea.
D.



F

Euphrasia purpurea.
D.



B

Emicago.



A

Evonimus.
Stindbium.



D

Endivia.
folium.



C

Erica Coris folio.
Barbony.



E

Gypaitys.




F

Erica Scoparia.



B

Esula minima.
G.



C

Esula amygdaloides.
G.



A

Esula montana.
G.



D

Esula officinarum.
Hoffm. milif.



E

Esula Indica.
G.




F

Esula linariae folio, vel
Fithymalg myrsinites B.
Fabernemont.



A

Ebulus officinalis.
Attis.



C

Ebulus folijs laciniatis.
A.



B

Crucifera sylvestris.
wild Anichool.



D

Elatine.




E

Ervum.
wilde arbeiß.



F

Crucifera hortensis.
Jammor Anichool.



A
Equisetum hyemale
B.



B
Equisetum vulgare
Hoffmannian.



C
Echinum vulgare
C. v. officinale.



D
Echinum scorpioides palustre
Königspalmw. n. n.



E
Echinum scorpioides campestre
Scorpionkraut.



F
Echinum monstrosum
C.



A

Eupatorium vulgare.
Gmignont. Ps.



B

Eryme dium.



C

Eupatorium Anula folio.
A.



D

Erysimus
Eragrosti.



A

Filix mas.
Linn. & B. M. L.



B

Filix Foemina.
A. B. Arnibl.



C

Filicula fontana.
A.



D

Filix cornuta.
A.



E

Filix petraea.
A.



A

Fagus.
Eichbaum.



C

Filago.



B

Foeniculum.
Fenchel.



F

Frumentum Turcicum.
Türkisch Weizen.



D

Flos cuculi.
Kücheldolde.



E

Frumentum Saracenicum,
vel Fagopyrus. Gröndan.



G

Fragaria.
Erdbeere.



A

Flos Solis.
Fuchsbärgfl.



B

Flos Trinitatis.
Fuchsbärgfl.



C

Flos Solis prolifer.
A.



D

Faba Sylvestris.
Wildes Bohnen.



E

Faba Sativa.
Gärtner Bohnen.



A

Flos Peruanus.
Hainig: ouerstrij.



B

Flos Passionis.
Passions Blum.



D

Flos Paralysisis lubeg.
Carn ofolain.



F

Ioenum graecum.
Jannigrauk.



C

Flos Cheiri.
azeller frigl.



E

Flos Paralysisis fuscus.
S.



G

Flos Adonis.
Liab gadamban.



B

A

C

Flos Indicus major.
Indianische Kugel

Flos Indicus minor.
Pernambolblum.



D

E

F

Ferrum equinum.

Ficus.
Fay Baum.

Frangula.
Cranzbaum.



B

Fumaria lutea.
G.



C

Fumaria officinalis.
Fadstrang.



A

Fumaria bulbosa.
Holl. C. B. S. f.



D

Filipendula.
Roth's F. in Gray.



E

Flammula Jovis.
Liman or Linnan,
od Comm. B. S. f.





A

Gentianella.
G.



C

Gentiana major asclepiades.
Fujian Com. 2.



B

Gentiana minor.
G



D

Gallega flore caerulea.
Griff: Rottfou.



F

Gallega flore albo.
G.



E

Enaphalium.
Saxifrag. Rv.



B

Galeoniculata.
Amidon + inf.



C

Gladiolus.
Südw. blümm.



A

Pelteminum.
Blauer Jasmin.



D

Galliox hys.
Südw. blümm.



E

Globularia.
Rügl blümm.



F

Genistella.
Färbkraut.




B

Geranium sanguineum.
Flora Jungerbl.




C

Geranium triste.
B.



A

Geranium montis Valdi
radice longius radicata.
Triumphati Romani.
B.



D

Geranium Bulbosum.
B.




E

Geranium Botrochiodes.
B.




F


Geranium Rubertianum
Just. Dr.



B
Geranium columbinum.
A.



A
Geranium acutifolium.
Fl. & fructu. L.



C
Geranium argenteum.




E
Genista pinnosa.
F.



D
Genista hortensis.
quædam Jussieu.



F
Genista sylvestris.
cuiusdam Jussieu.



A

*Gallium laxatile rubrum, vel
Gallium Sabaudum Boconi.*
G.

B

Gallium album.
G

C

*Gallium luteum officin.
Anisgras*

E


*Gramen maritimum.
maro grass.*

D

*Gratiola.
Jobst grass.*

F

*Gramen sanguineum
bluttiges grass.*



A

B

C

Helianthemum flore guttato.
Compositae.

Helianthemum.
A.



Hedera helix.
Fragilis.

F

Hedera arborea
B.



D

Holostium.



E

Hesperis.
Nacht Vaygl.



G

Hypericon.
Johanniskraut.



A

Helvina Lobelij, vel
convolutus Lemine
triangulari Hookhamij.

B

Hedera arborea marina.
Mars Lycopif.



D

Hippuris officinor.
Linnae.



E

Hippuris aquatica.
L.



C

Heliochrisum.



Horminum inodorum.
D



Hyssopus coruleum.
Hog.



Hisculus.
Honoreiflor, Haindlf.



Horminum odorum.
Salz & Fleckley Kr.



Hyssopus montanum.
B.



Hyssopus album.
B.



Hyssopus rubrum.
B.



A

Hernandia.
Linné Kr.



B

Alenium.
Alant & Biersf.



C

Helleboine.



E

Hedysarum flore rubro
Indix^{us} Kr.



D

Helleboraster.
Linné Kr.



F


Hedysarum flore albo.
E.





B

Helleborus albus
flore albo.
Weiß Weiß. Busch.



A

Helleborus Niger officinar.
Schwarz Weiß Busch.



C

Hedera terrestris
Gemeiner Efeu.



D

Helleborus albus flore fusco
B.




E

Helleborus niger flore rubello.
A.




A

Hyoscyamus niger.
S. Flap. Kr.



B

Hyoscyamus albg.
A.



D

Hippostellinum.
L. Boerhain.




E

Hieracium lacatile.
C.




C

Hieracium officinarum.
L. G. Kr.



Hepatica nobilis.
 Gr. Lobor. R. v.




Hepatica alba vel
Gramen Parnassi.
 Gr. Lobor. R. v.



Hyacinthus comosus.
 Gr. Lobor. R. v.



Hyacinthus botryoides.
 C.





B
Jacea Ragusea.



C
Jacobaea minor.
A.



A
Jacobaea major incana.
Jacob's Blinn.



D
Jasminum album
Weyher's Jasmin.



E
Jasminum tuberculatum.
Yellow Jasmin.



B

Juncus omnium maxing.
Finland.



C

Juncus baccifer.
B.



C

Juncus floridus.
B.



A

Juncus marinus.
B.

Juncus capitatus.
B.



B

Iva moschata flore albo.
A.



A

Iva moschata flore rubello.
bisum Anisif.



C

Iberis.
Anglicana.



D

Iris nostras.
blanco Lilian.



E

Iris nostras pigmea.
F.



Aa.

*Ilecebra
manisfiter.*

A

*Inbybus.
Cangelant.*




B

*Ilex.
Fantonelbama.*



C

*Imperatoria.
Mistarlouf.*



D

*Juniperus.
Kunabotkandy.*



A

Ligusticium officinale.
Vieill. Soltz.



B

Laurocerasus.



C

Ligusticium sylvestris.
Waldst. Vieill. Soltz.



D

Laureola
Rollond Sieber, and
Griseb.



A



B



Lupinus flore caneo.
Frühborman.



Lupinus flore caeruleo.
A.

Lotus vulgaris.
Frühm. Hüfl.



D



E



C

Lupinus flore luteo odorg.
A.

Lotus hortensis purpurea.
C

Lotus laxatilis.
G.



C

Lactuca sylvestris.
Craut Pellat.



B

Lachryma Jobi.



A

Lactuca hortensis
Garten Pellat.



D

Linum sylvestre.
wild flax.



E

Linum lativum.
flax.



A



B



C

artua ranarum
Froschlentel

Lathyrus major rubicunda.
Fiedler's Pfl.

Lathyrus minor lutea.
B.




D

Lathyrus minor purpurea.
B.



E

Ligustrum.
Grosbein.



F

Lupulus.
Hopfen.




B

Lamium fruticosum
album Zenon.
A.



A

Lamium luteum.
Sprengel & Lott's Nöppe



C

Lamium spicatum, vel ovala.
A.



D

Lilium convallium.
Mazgon Blinnan.



E

Ledanium.



F

Lamium purpureum.
A.



B
Lysimachia Aquatica
corniculata.
E



C
Lysimachia Pannonica.
E



D
Lysimachia Virginiana
E



A
Lysimachia Secatilis.
Corniculata.
E



E
Lysimachia Purpurea
Spicata.
Strindberg.



A
Linosyris.



B

Leonurus.
Africanus Ledyeban.



C

Lycotomum.
Giff. R.



D

Lavendula folijs laciniatis.

E



F

Lavendula officinar.
Lanc. L.



G

Limonium Matth.



A

Lagopus catarina
Rufon Alb.



B

Lagopus marina
Moen Alb.



C

Lagopus vera
Rufon Alb.



D

Leucopodium.



E

Barbarea vel
Langsana Fabern.



F

Lichen.
Litz auf Alb.



C

Lychnis alba coronaria,
Moxson & Oshim.



B

Lychnis calcedonica,
Grinnando Lieb.



A

Litosperrmon,
Walther & Sieff.



D

Lychnis rubra coronaria,
C



E

Lolium,
Hindst. ant.



F

Lychnis hortensis
purpurea,
C.



G

Litonthlaspi.



*Leucium non bulbosum
rubescens
colliflor. Knigl.*



*Levisticum.
Liebstüchel.*



Laternitium.



*Leucium non bulbosum album.
A.*



*Lens sativa
Linfon.*



*Lens palustris.
Wasserscheinf.*



*Leucium non bulbosum
fuspureum.
A.*



A

Lercojum bulbosum.
Wintsvögl.



B.

Leantopodium.



C

Linaria Pannonica.
E.



F

Linaria corulea.
E.



G

Lepidium virginica.
Hoffm. R.



E

Linaria vulgaris.
Linn R.



A
Lentiscus.
Mustigbaum



B
Lappathiolum, vel Hippolappathum.
Sinnelbush.



C
Luteola.
Zigwiner Kr.

D
Labrum Veneris.
Zackroff d. v. stand. d. fl.

E
Lonchitis.
Pringfasson Kr.



A

Lilium album.
Weißes Lilien.



B

Laurus.
Lorbeerbaum.



C

Laurus Valentina.
B



D

Laurus Alexandrina.
B.



B

Mentha rubra spicata.
Roths oder Examen Minz.



A

Mentha crispa.
Kraut Belgem.



C

Mentha saracenic.
Nyss faranam Blätter.



D

Mentha cabalina.
Roth Minz.



E

Mentha rubra verticillata.
B.



F

Mentha aquatica.
Cresser Minz.



A

Millefolium officinale purpureum
Schaffgösch.



B

Millefolium officinale album
A.



C

Mandragora
Alchem.



D

Millefolium creticum
A.



E

Millefolium luteum
A.



A

Majorana odore thymi.
G.



B

Marrum eseticum.
G.




C

Majorana vulgaris.
Marsyas.



E

Melandrium Plinij.
Goldblümlein.



F

Molucha.
Constantinopolitanische Melippon.



G

Melissa.
Melippon.



A

Marrubium album.
Weiß Andorn.



B

Myriophyllum.
Coßkrautwürl.



C

Marrubium nigrum.
Schwarz Andorn.



D

Nastus gallina.
Hühner Biß.



E

Millium.
Hirß.



F

Milzfatella.
Lanbe Köppl.



A

Malangena Lobelij.
Molanf. m.



B

Muscus corallioides.
Corallen müß.



C

Myrtus maculosa.
D



E

Muscus Marinus.
Meer müß.



F

Momordica.
Bittern äpfel.



D

Myrtg officinos.
Myrtanbaum.



G

Muscus arboreg.
Baummüß.



H

Malus armeniaca.
Maxillonbaum.



B

Mollugo
Prumnopanax R.



A

Myrtillus.
Lindleyana.



C

Matrisylva.
Schultzeana R.



E

Morsus Diaboli.
Trifolium abbiss.



D

Millia folis congener, vel
Millium folis fruticosum.
F.



F

Millia folis, Lithospermum fl. alb.
Maackia R.



B

Matricaria officinar.
Mutterkorn oder Großmutterkorn.



A

Matricaria Romana.
B.



C

Myrica rosmarini folio.
Wild Rosmarin.



E

Muscipula flore rubro
Gänseblüm.



F

Muscipula flore albo.
C.



D

Morus vulgaris.
Mülpfobbaum.



G

Morus Julifera.
D.



B

Mercurialis mas.
Gimble Kr. & S. mündl.



C

Molle Clusij.



A

Mercurialis foemina
Gimble Kr. & S. mündl.



D

Melilotus flore luteo.
Horn Kra.



F

Melampyrum officin.
Küf. Wirtsm.



E

Melampyrum flore quadrato.
F.



G

Melilotus flore albo.
H.



A

Myrrhis.
Wangl. Dougl.



B

Neum.
Franch. & S.



C

Medica vesuviana, vel marina

F



D

Medica pratensis comuta.



E

Merasus.
Wangl. & Dougl.



F

Medica pratensis lutea.
Franch. & S.



B

Malva arborea flore corules.
Glaucus herbstrohm.



A

Malva arborea flore albo.
Cristta herbstrohm.



C

Malva sylvestris pusilliflora.
G



D

Malva officinar.
Griffhaxelom.



E

Malva crispa, vel mesentencia.



F

Mespilus.
Hofflbaum.



Malva rosea.
Hortum Feyl.



Malva hortensis flore albo.
Hortum Feyl.



Malva hortensis variegata.
B.



Malva hortensis purpurea.
B.



Malva hortensis corulea.
B.



Malva hortensis rubicunda.
B.



Malva hortensis lutes-virens.
B.



A

Noli me tangere.
Rüsch mit an.



B

Nigella lativa.
Schwarzer Coriander.



C

Nasturtium pratense.
Wasserrüsch.



D

Nigella erratica.
B

Nasturtium aquaticum.
Garten Rucola.




E

Nasturtium hortense.
Garten Rucola.



A

*Napellus flore corulea.
Süßw. grüne.*



B

*Napellus flore luteo.
A.*



C

Flux malabarica.




D

*Nicotiana
lobaeblätter.*




E

*Flux juglans.
Nussbaum.*



B

Hepeta.
Rafanmünt.



A

Merium alpinum.
Graybulsem.



D

Humulana.
Huming ds.



C

Nasturtium hispanicum.
Häniglor ds.



E

Lymphaea.
Paablum.



A

Narcissus albus.
Narcissus.



C

Narcissus luteus.
A



B

Narcissus prolifer.
A.



A

Oethiopsis Matthioli.



C

Ononis officinalis alba.



B



D

Ocymoides.
Schindler's topf.



E

Ophioglossum.
Klattor Singlin.



F

Ononis non spinosa striata.
C.



G

Ononis non spinosa lutea.
C.



B

Oleander flore rubro.



A

Oleander flore albo.
Linnæus.



C

Orobanche.
Hoyl Raft.



D

Oxalis lutea.
Gänsefuß.



F

Orobus.
Ackerhirs.



E

Crithogalum luteum.
Goldweibl.



A

Osmunda.




B

*Olusatrum, vel lactuca
agnina.
Fol. & caudex.*



C

*Oxyacantha.
herbstianum.*




E

*Oenanthe sylvaticum.
Fol. & caudex.*



D

*Obunia, vel Ficus indica.
Indiense frig.*



F

*Oenanthe aquatica.
C.*



A

Orchis flore albo.
Händl. C. 1807.



B

Ornus.



C

Onobrychis saxea purpurea.




D

Orchis flore rubro.
A.



E

Onobrychis incarnata




F

Onobrychis caerulea.



B
Oliva Boemica.
D.



A

Origanum creticum.
C.



C

Origanum.
Schöllkraut.



E

Oliva vera.
Ölbäum.



F

Orestelinum.
Grasfenchel.



A

Papaver album.
Weißer Mohn.

B

Papaver nigrum.
Schwarz Mohn.

C

Papaver rhoas.
Klappertopf.



D

Papaver flore pleno.
Holler Mohn.

E

Papaver corniculatum.
Mohn Mohn.



A

Piper Indicum.
Indiäniß Pfeffer.




B

Pseudohellebor.
Feldspinnß Kraut.



C

Papaver Luteum.
Weißer Mays.



D

Pyrus.
Fisbaum.



E

Papaver pignum.



A.

Prunus.
Flammenbaum.



B

Prunus.
Kirschbaum.



D

Perfoliata.
Inselnuss.



C

Paronychia.
Fingernägels.



E

Potamogeton marianum.



F

Potamogeton.
Rundstamm.



A

Persicus.
Hoxij Baum.



B

Pilosella.
Mansfeldian.



C

Pistochia, vel
Aristologia clematidis.
Hwanst. & Oxelufj.



D

Pet aserinus.
Grünz fuchs.



E

Portulaca sylvatica.
Wild Foxfolan.



F

Portulaca sativa.
Lamm- & Foxfolan.



A

Pisum sylvestre.
Wald-Ackerbohne

B

Pisum sativum album
Ackerbohne



C

Pneumonanthe.
Lungenblume



D

Pisum sativum fuscum.
Brannebohne



F

Perjelimon.
Waldmaifort



E

Lyciantha.
Mollweide



Pseudostoechas citrina.
Haberm. Blümenkraut.

Polypodium quercinum.
Engelstopp, od. Hainbriustfl.

Pyrethrum sylvestre Aubl.
Wild Krautstamm.



Peten venens Desn.
Hadlörzfl.

Ppyllium.
Willian R.

Pomus Lazarina.
Lazarusull.



A

Persicaria flore albo.
fol. sdr.



C

Pulegium.
fol. sdr.



B

Persicaria flore rubro.
A.



D

Pseudotoxmentilla.
fol. sdr. formantilla sdr.




E

Pulegium sylvestre.
C.



F

Pseudodictamnus.
fol. sdr. dictam.



A

Parmica flore corulescente
frutigo Blinn.



C

Parmica flore fusco.
A.



B

Parmica flore albo.
A.



D

Prunella.
fruticosa.



E

Pulsatilla.
virginica.





Plantago aquatica acuta.
B.

Plantago aquatica lata.
C. & B. & C. & G. & H.



C

Plantago acuta.
H. & G. & C. & H.



D

Plantago major.
C. & H. & G. & H.



E

Plantago petraea.
H. & G. & H.



B

Porrum lectile, vel Schoenoprasum.
Spitzkump, od. Breitblaug.



A

Populus nigra.
Schwarz Kugelbaum.



C

Porrum hyemale.
Kottig.



D

Populus alba.
Weiß Kugelbaum.



E

Pinus, vel Pinaster.
Kiefernbaum.



A

Pulmonaria marina.
Marschall & Linné Dr.



B

Pulmonaria officinalis.
Linné Dr.



C
Platanus.
Sommer & Linné Dr.



C



D

Pulmonaria Gallorum.
Frank & Linné Dr.




E

Pulmonaria maculosa.
Rostk & Schmidt Dr.



A

Pimpinella spinosa.
C.



B

Phaseolus.
filolan.



C

Pimpinella vulgaris.
Fibronell austr.



D

Phaseoli oculati.
Flora angl.



E

Pimpinella saxifraga.
Ann fibronell austr.



1757
1758



C
Pastinaca sylvestris.
Wildes Pastinack.



A
Palyurus, vel
Eupha Stalorum.
Pouppelaim.



B
Pastinaca sativa.
Zurmo Pastinack.



D
Pseudocyperus.
Falsche galgan.



E
Polygonum minus.
Aegidwint.



F
Pinguicula.
Drosera.



B

Petroselinum.
Fenchel.



A

Polytrichon.
Geldern Coifon.



C

Pucedanum.
Großwurz.



D

Polygonum.
Stumpfblumiger Anagiditt.



F

Primula veris duplicata.
E.



E

Primula veris officinar.
Flügelblumen.



G


Primula veris Anthurnalis.
E.



Palmata minor.
Gambelouf.



Pseudocythidus.
Himmann.



Palma vera.
Falmjwang.



Palmata minor.
B.




Panax.
Guillouf.



C

Pyramidalis.



A

*Paris.
Simpson.*



B

Paralytica.



D

*Thyllitis petraea
Solson Ginchin.*



E

Solium eseticum.



F

Solium montanum.



B

Polygala flore albo
Linn. & Blinn.



A

Loeonia
Hingstropm.



B4

Polygala flore lutes.
B



C

Polygala rubicunda flore
B.



D

Panicetaria
glay's dr.



E

Polygala flore corules.
B.



A

Pethasites.
Fastidiosa Cur.




A

Quinquefolium minimum.
C.



B

Quinquefolium argenteum.
C.



C

Quinquefolium vulgare.
Stim. Singax R.



D

Quinquefolium repens.
C.





A

Lonicera glandifera.
äifl barm.



B

Linquefolium fragiferum.



C

Linquefolium tormentilla fauic
Stockhamen.



D

Lonicera Gallifera.
galläifl barm.



E


Lonicera minima
Fieb ab.



Ranunculus hortensis
latipetalus.
Ranuncul.



Ranunculus hortensis
tenuipetalus.
A.



Ranunculus acrotyliformis.
Small blimblain.



Ranunculus nemorosus luteus
C.



Ranunculus nemorosus albus.
Waldst. & Fenzl.



A

Ranunculus arvensis echinatus.



B

Ranunculus montanus lanuginosus.



C

Ranunculus dulcis.
Smilax blinblin.



D



E

Ranunculus palustris.

C.

Ranunculus flore pleno.

C.



F

Rapistrum arvense.
Rubus ar.



B

Raphanus rusticus.
Kraamkruid.



C

Rapunculus erectus spicatus.
Luzerne.



A

Rosmarinus
Rosmarin.



D

Rhamnus olivifolia, vel
oleaster.



E

Rhabarbarum monachorum,
minij Rhabarb.



A

Rapunculus petreus humilis Schoerocephalus
Salsum Lapin² fl.



B

Rubia Tinctorum.
Florus Rottf.




C

Ribes.
Ribapl.



D

Rubia manna.
B.



E

Quinus.
Comm. Gamm.



A

Rosa sylvestris.
Goldrosen.



B

Rosa hortensis variegata.
Hoffmanns Rosen.



C

Rosa hortensis alba.
Crispbl Rosen.



E

Rosa Fabernontani.



D

Rosa hortensis purpurea.
Kottb Rosen.



A

Ruta muraria.
Maur. + Anthem.



B

Ruta hortensis.
Hort. + Anthem.



C

Ruta canina.



D

Rha Ponticum.



E

Ruscus.
Maur. + Anthem.



C

Rubus hispidus Fabernemont.
B.



A

Radix rhodia.
Hofmann ^LWurtz.



B

Rubus arvensis.
Gromyoc.



E

Rapa.
Anobm.



D

Rubus virginiana.
B.



F

Rapparus.
Rittig



A

Solsegiuim.
Pomnanblum.



C

Strathiotis.
Gerban Re.



B

Scolymus, vel Cynara.
Antihyfocton.



A

Spica Tyrolensis.
Tyrolensis Blüth.



C

Sonchus loricatus.
Gussone's Coll.



B

Sanamunda Austriaca



E

Sonchus folijs laciniatis coruleg.



D

Sonchus asperus.
C



C



C

Stoebe major, vel Jacea lainiata Cosp. Bauh.
floctdx:



D

Scordium.
Stoebea verticillata



B

Stoebe minor flore albo.
Stoebea



A

Stoebe minor flore rubro.
B.



E

Santonium.
Chamaecrista



F

Stoebe media, vel Jacea I.
Fabernemont.

C.



A

Stramonium flore corules.
Blühpfl.




C

Spinachia.
Spinat.



B

Siliqua.
Gordé Löwenstein.



E

Smilax aspera.



D

Stramonium flore albo.
A.



B

Sambucus hispanica alba.



C

Sclarea hortensis.
eguatam, perlefolio.



A

Sambucus hispanica caerulea.
Hanifor holder.



E

Sambucus vulgaris.
Berf holder.



F

Sambucus folijs laciniatis.
E.



C
Scorpionella.
Scorpionellum *W. & A.*



A
Sambucus aquatica, vel Syringa.
S. palmarum.



B
Sespillum montanum.
Grundk.



E
Sespillum maculosum.
B.



F
Sespillum avense.
B.



G
Sespillum petreum *Doreciti.*
B.



A

Salvia hortensis flore albo.

C.



C

Salvia hortensis flore coruleo major.
Garten Pulbröj.



B

Salvia sylvestris conlea.
Cildor Pulbröj.



E

Salvia sylvestris alba.
B.



D

Salvia hortensis minor.
C.




F

Salvia rubra.




A

Sparganium.
Igelknochen.



B

Pilea.



C

Scammonaea montpelicaea.



D

Sorbus vulgaris.
Wiesbiumbaum.



E

Sorby terminalis.
G.



A

Symphytum petraeum.
Hornemann.



B

Symphytum.
Hornemann.



C

Scroscaria.
Hornemann.



D

Scorpioides.
Hornemann.



E

Satyrium.
Gaillet.



B

Staphysagria.
Hänfls.



A

Saturegia.
Petruaj.



C

Spartium Hispanicum.
Hänfls. Heimann.



D

Clagittaria.
Hänfls. Ro.



E

Sinapi aquaticum
Hänfls. Bruch.



A
Salix.
Folberbaum.



B
C
Syderitis officinalis.
Glistdr.



C
Syderitis purpurea.
C.



D
Stachys cretica.
E



E
Stachys.
Luftdr.



F
Smium.



A
Sessili Oethyopia.
 C



C

Serapias flore albo
Anabon Curt.



D

Serapias flore rubello.
 C.

B
Sanicula
Pennell.



E

Sesili foeniculi folis Stockhamen.
Pfleder.



B

Scrophularia officinalis.
Gewöhnlich.



A

Scrophularia aquatica.
B



C

Siligo.
Korn.



D

Scrophularia cretica
B.



E

Secale.
ganz groß.



B

Solanum somniferum
vel
Bella-dona Fuchsi
D.



A

Solanum spinosum
D.



C

Solanum tuberosum
seu
Papas Indorum Tabern.
D.



F

Solanum vulgare
Krautpflanz



E

Solanum peregrinum
D.



A

Pisarum.
Zimher Müll.



B


Serpentaria colubrina.
Slangkr.

C



D

Sopunaria.
Peysson Kr.



E

Sophia Chyrurgor.
Salbis Poyss.

Spina Solstitialis Advers. Lobelij



A

Statice Casp. Bauh.
Caryophyll.



B

Securidaca flore caerulea.
Fockel.



C

Securidaca flore lutea.
B



D

Jeneion.
Composit.



E

Styrax.
Styrax Baum.



A

Smilax Hispanica.
Stamifolium.



B

Staphylolepis.
multiflora.



C

Sium.
officinale.



D

Sabina.
officinale.



A

Scelopendrium officin.
Grossblüthig.



B

Sedum ming petraeum.
Rhinogroßblüthig.



C

Sedum Stellatum.
B.



C

Sedum majus.
Grossblüthig.

Scelopendrium ramosum.
B.

D



B

Stoechas citrina




C

Sumach.
Zingiberaceae



A

Stoechas arabica
vera




E

Saxifraga aenea




D

Stoechas Arabica serrata



A

Sigillum Salomonis officinarum.
Crisp. Bauh. & f.



B

Sarsaparilla Italica.



C

Sigillum Salomonis ficutum. *Spiraea Theophrasti.*
A.



D



E

Strichnodentron.
Corallorh. & c.



A

Scabiosa Hispanica.

G.

B


Scabiosa officinalis folijs laciniatis.

G.



C

Scabiosa officinarum folijs non laciniatis.
Scabiosa v. Agostum R.



D

Scabiosa lachnocephalata fin. aut. non *Scabiosa*.

G.




E

Scabiosa Purpurea. Scabiosa variegata.


G.




F




C
Scabiola montana
latifolia
 Bong Scabiopm.



B
Scabiola petraea alba.
 C.
 A
Scabiola petraea comuta.
 C.



D
Scabiola sylvestris echinata,
vel virga pastoris Tabern.
 C.



A

Scabiosa Luxuriosa.
 Fr. in Herb. for Scabiosum.




A

Tanacetum odoratum vulgare.
Kunzmann.



B

Trasi Carp. Bauch.



C

Tanacetum inodorum.
H.



D

Pithymlus.
Crotch Milz, od
Lipke Milz.



E

Pithymlus maring.
G.



B

Tilia.
Lindm Baum.



A

Tormentilla.
Tormentill Wurzel.



D

Fiorchis.
Wurzel Förlin.



C

Thymus.
Königskraut



E

Trachelium.
Kraut Blinn.



A

Thlaspi capadovicum flore rubro.

C



C

Thlaspi mecklinckii
Caucasus.



B

Thlaspi ineanum.

C



D

Thlaspi capadovicum flore albo.

C.



E

Thlaspi fruticosum.

C



F


Thlaspi majoranae folis
Thrymphoti.

C.



B

Thlaspi bicutatum.



A

Thalictrum montanum.

E



E

Thalictrum pratense.
Hystrum + anthem.



C

Tuberosa.
Suba + oym.



D

Thinas.
fin est non lobes benn.



A
Tussilago.
gracilis.



B
Teucrium Regium, vel
Chamaedris Fruticosa.



C
Fulpa.
Fuligan.



D
Teucrium Boeticum.
graciliflorum Batfongl.



A

Trifolium Romanum
Romijss Klo.



B

Trifolium lupulinum
Gortm Klo.



D

Trifolium stellatum
Horn Klo.



C

Trifolium Americanum spicatum.
Americanij Klo.



E

Trifolium cochleatum.
Gortm Klo.



A

Taraxacum.
Kofelbr.



G

Fragaria virginiana.
Lobk. & Sostm.



C

Trichomanes.
Alm. v. d. Lott.



B

Laminaria.
Laminaria sp.



A



Umbilicus veneris minor
Tabernemontani.
Kabl. R.



C

Virga Aurea.
Helst. & Grijndijf Com. R.



B

Umbilicus veneris Lobelii
vel
Palmaria Tabernem.
H.



E

Verbesina Casp. Baven.
Grijndijf.



F


Vincaperuviana.
Dimyrtin.



A
Viola petraea lutea.
F.




C
Viola matronalis Dodonaei.
From Knigl.




B
Viola hortensis flore pleno.
Hortus Knigl.




E
Viola martia alba
Abriß aus Müllers Knigl.



D
Viola canina.
Gründl Knigl.



F
Viola martia purpurea.
Blauer Martian Knigl.



B

Urtica Racemosa.

D



A

Urtica Romana.
Romische Nessel.



C

Urtica heraclea.

E.



D

Urtica urens major.
Große Nessel.



E

Urtica mortua.
Totte Nessel.



F

Urtica urens minor.
Kleine Nessel.



B

Valeriana frasca.
Grünlich Baldrian.



A

Valeriana latifolia.
C.



C

Valeriana vulgaris.
Baldrian.



D

Veronica mas.
Stumpfnäsiges Minde.



E

Veronica boemina.
Stumpfnäsiges Minde.



A

Verbascum vulgare.
Himmelsbrot.



B

Verbascum nigrum.
A.



C

Allium.
Krautzwiebel.




D

Verbascum salvia folio.
A.



E

Vulvaria.
Himmelsbrot.



A
Vitis vinifera.
Schimstock.



B.
Alouana
Längl. R.



C
Vitis moschata.
Moschatelstock.



E
Viscum quercinum.
Ainfuss Kniffel.



D
Vimen.
Baum Weiden.



A
Vicia multiflora
dumetorum.
Hilck.



B
Vincetoxicum.
fl. albom. Curt.



C

Vicia montana.
H.



D

Valerianella, vel
Valeriana rubra Tabern.
Rottf. & Schmidt.



E

Uva crispa.
Rottf. & Schmidt.



A
Ustilago.
Roomboldt.



B
Ulmania.
Gripbault.



C
Zizifha candida Lobelij, vel
Sycomorus Italonum.
Cristo Benstboerlin.



D



E
Yuca Florosa.



A

Hircocervus.
Blüßgobius.

